



AQUA GLITTER™

(C.P. Fitting Kleaner) - Chrome Platted Fitting Cleaner

Aqua Glitter Chrome Platted Fitting Kleaner is ideally suited for cleaning chrome plated fittings & fixtures. It rapidly removes water stain marks and gives good shine with pleasant fresh fragrance.

WHERE TO USE: Any types of chrome plated fittings & fixtures.

HOW TO USE: Apply the Aqua Glitter Chrome Platted Fitting Kleaner to the area to be cleaned. Mop up the cleaner and repeat the process in case of very old scaling.

ADVANTAGES:

- It gives excellent shiny surface without streaks.
- Easy to use.
- Easily removes stubborn water stain marks.
- Do it yourself product.
- Ready to use.

PRECAUTION: Keep out of reach of children. In case of contact with eyes, rinse with plenty of clean water and seek medical advice.



SHELF LIFE:

12 months if stored in normal dry conditions.

PACKAGING:

100ml spray bottle, 1Ltr bottle & 5Ltr industrial Pack.



AQUALEAN™ GLASS KLEANER

(Glass Cleaner)

Aqualean Glass Kleaner has been developed to remove all types of stains including finger marks, grease, dust and most things that come in contact with glass.

WHERE TO USE: Any type of glossy and glass surface like mirror, glass door & window, car windshield, computer, TV, fridge & glass dining table etc.

HOW TO USE: Spray Aqualean on any types of glossy and glass surfaces to be cleaned and wipe with soft & clean cotton cloth or paper.

ADVANTAGES:

- It gives excellent shiny surfaces without streaks.
- Easy to use.
- It is safe for you & your family.
- Cleans a wide variety of glass surfaces.

PRECAUTION: Keep out of reach of children. In case of contact with eyes rinse immediately with plenty of clean water and seek medical advice.



SHELF LIFE:

12 months in original sealed packing.

PACKAGING:

250ml, 500ml spray bottle & 5Ltr industrial pack.



AQUAPOXY EPOXY KLEANER™

(Epoxy Grout Cleaner)

AquaPoxy Epoxy Kleaner is a non-acidic cleaner to remove traces of epoxy grout from tile, ceramics, glass mosaic, concrete and stone surfaces. It is used to remove residues, stains and marks of epoxy grout without giving off hazardous fumes.

WHERE TO USE: AquaPoxy Epoxy Kleaner can be used wherever epoxy grout is used on ceramic tiles, vitrified tiles, glass mosaic, concrete and natural stone.

HOW TO USE: Apply AquaPoxy Epoxy Kleaner over the affected area. Wait for 10-15 minutes for the chemical to get activated. Remove epoxy film using a clean cloth or brush. Multiple applications may be necessary. Clean the area with water and allow it to dry.

ADVANTAGES:

- Fast acting formula.
- Easy to use.
- Non-acidic.
- Non-corrosive.
- Can be used on multi-surfaces .
- High strength.
- Does not damage tile/mosaic surfaces.

STORAGE: Stored unopened in normal & dry condition.

PRECAUTIONS: Before using AquaPoxy Epoxy Kleaner, protect all surfaces which could be damaged in direct contact with the product. Do not over-mix the material. Ensure adequate ventilation during application in working place. Keep out of reach of children.

SHELF LIFE:	PACKAGING:
For better result use within 12 months from the date of manufacturing.	1Ltr bottle & 12 bottles in a carton.

**Corporate Office:**

601, Corporate Arena, Off. Aarey Piralal Cross Rd., Goregaon (W), Mumbai - 400104
Tel: 022-46038393 **Email:** info@aquaproofindia.com | **Website:** www.aquaproofindia.com