





AQUA MARBOSHINE™

(Marble Polish Powder)

Aqua Marboshine is a marble polish powder. When stone becomes dull & scratched, it obviously loses its shine & luster. At this time the stone needs to be refinished and polished to restore its original shine. To fulfill this requirement, we offer Aqua Marboshine powder which provides high shine.

WHERE TO USE: Aqua Marboshine can be used on all marble and granite surfaces at places such as houses, schools, universities, temples, hotels, restaurants, retail stores, malls, office buildings and lobby areas.

HOW TO USE: Spread a small quantity of polish powder on the floor and add some water. By using red disc pad on a normal rotary machine, make a cream like consistency and work until the gloss comes out. Add some powder and water from time to time. At the end of the work, carefully wash with water by using a white disc pad.



ADVANTAGES:

- It gives excellent shiny surface.
- Suitable for green, black and white marble.
- Restores gloss.
- Fast drying.
- Easy to use.

PRECAUTION: Keep out of the reach of children. In case of contact with eyes, rinse immediately with plenty of water. If irritation persists, seek medical advice.

SHELF LIFE:	PACKAGING:
Up to 24 months when stored in the original sealed container.	5 & 10Kg Bucket.

**Corporate Office:**

601, Corporate Arena, Off. Aarey Piralal Cross Rd., Goregaon (W), Mumbai - 400104
Tel: 022-46038393 **Email:** | info@aquaproofindia.com | **Website:** www.aquaproofindia.com




AQUAPOXY KLEARTM

(Clear Epoxy)


Aquapoxy Klear is a selected premium quality two component material used to fuse natural as well as artificial stone, to fill porosity, hairline cracks & holes.

WHERE TO USE: Aquapoxy Klear can be used for filling porosity & hair line cracks of precast concrete, stone panels, marble, granite, slate, ceramic tiles in interior and exterior application.


HOW TO USE: Clean the surface thoroughly. Mix part A with part B and stir well before use. Apply as usual and wait for 24 hours to air cure.



①



②



③



④

ADVANTAGES:

- Easy to use.
- Short dry time.
- Excellent flow and leveling.
- Abrasion resistant
- Excellent bonding properties.
- High strength.
- Water Resistant.
- Suitable for any type of stone.

SHELF LIFE:	PACKAGING:
Up to 24 months when stored in the original sealed container	800g Resin & 200g Hardner in plastic bottles.



Corporate Office:

601, Corporate Arena, Off. Aarey Piralal Cross Rd., Goregaon (W), Mumbai - 400104
Tel: 022-46038393 **Email:** info@aquaproofindia.com | **Website:** www.aquaproofindia.com




AQUA BACKOT™

(Stone Protective Back Coat)

Aqua Backot is a single component water based liquid for used to protect stone from back side stain which comes from mortar.

WHERE TO USE: It can be used to prevent back side stain which comes from mortar.

HOW TO USE: Clean the surface thoroughly. Apply 2 to 3 coats of Aqua Backot wet to wet on back side of the stone and leave for minimum 30 minutes. Fix stone on mortar bed or with adhesive as usual.



ADVANTAGES:

- Easy to use.
- Economical.
- Suitable for any type of stone.
- Good bonding properties.
- Very good stain resistance property.

PRECAUTION: Handle with care. Keep out of the reach of children. Wear suitable gloves, eye/face protection.

SHELF LIFE:	PACKAGING:
24 months in unopened condition.	1 Ltr bottle.



Corporate Office:

601, Corporate Arena, Off. Aarey Piramal Cross Rd., Goregaon (W), Mumbai - 400104
Tel: 022-46038393 **Email:** info@aquaproofindia.com | **Website:** www.aquaproofindia.com




AQUA WETLOOK™

(Stone Wet Look Finish)


Aqua Wetlook is an environmentally superior, water based sealer specially formulated to give the surface a wet look appearance. It can be used on interior and exterior surfaces. It is non-yellowing formula that protects against organic stains.

WHERE TO USE: It can be used on vertical or horizontal, interior or exterior surfaces such as pavers, concrete, brick, aggregates, natural and artificial stone.


HOW TO USE: Do not dilute. Ready to use. Apply an even, continuous coat of Aqua Wetlook on a clean, dry surface with a large flat paintbrush, applicator or roller. Wait for 24 hours and then apply a second coat using the same method. For particularly porous materials, a third coat may be needed to achieve the desired wet look effect.




①



②



③



④

ADVANTAGES:

- Easy to apply.
- It gives aesthetically wet look appearance.
- Repels oil and grease stains.
- Non-flammable.
- Re-coatable.
- Good abrasion resistance.

PRECAUTION: Wait for 24 hours after application of the final coat before walking on the surface. Do not apply on polished surfaces. Do not apply this product outdoors if rain is forecast. Keep out of the reach of children.

SHELF LIFE:	PACKAGING:
Up to 24 months when stored in the original sealed container.	1 Ltr plastic bottle.

**Corporate Office:**

601, Corporate Arena, Off. Aarey Piralal Cross Rd., Goregaon (W), Mumbai - 400104
Tel: 022-46038393 **Email:** info@aquaproofindia.com | **Website:** www.aquaproofindia.com



AQUA POROUSEALTM

(Stone Penetrating Sealer)

Aqua Porouseal is an economical, natural look, water based penetrating sealer which is used to get excellent stain free property with very good finishing from stones.

WHERE TO USE: It can be used as a penetrating sealer for all natural stones such as marble, granite, limestone, unglazed ceramic tile, cement pavers, quarry tiles, concrete and bricks.


HOW TO USE:

A) SURFACE PREPARATION: Surface should be dry, clean and free of waxes, sealers or finishes. Protect surrounding surfaces. Test product in an inconspicuous area to ensure desirable results.


B) APPLICATION: Use nitrile gloves when handling the product. Apply using either a paint pad applicator, sponge or brush. Allow it to penetrate for up to 5 minutes. Wipe surface completely dry using clean, dry cotton, paper or microfiber towels after each application. Porous surfaces may require additional applications. Conduct a test to see if surface is completely sealed after 2 hours by applying drops of water on the surface. If it penetrates, apply an additional coat.




①



②



③




④

ADVANTAGES:

- Easy to use.
- Safe, water based formula.
- Excellent stain protection.
- It can be used on interior and exterior surface.
- Good abrasion resistance.
- Suitable for any type of stone.
- Very good finish.

SHELF LIFE:	PACKAGING:
Up to 24 months when stored in the original sealed container.	10 & 20 Ltr drum.

**Corporate Office:**

601, Corporate Arena, Off. Aarey Piramal Cross Rd., Goregaon (W), Mumbai - 400104
Tel: 022-46038393 **Email:** info@aquaproofindia.com | **Website:** www.aquaproofindia.com




AQUA STONSEAL™

(Stone Sealer)

Aqua Stonseal is a high performance, water based, penetrating natural stone sealer that forms an invisible barrier which provides maximum protection against the toughest oil and water based stains for all interior and exterior natural stone.

WHERE TO USE: It can be used as a sealer for all natural stone such as marble, granite, limestone, unglazed ceramic tile, cement pavers and quarry tiles.


HOW TO USE: Clean the surface thoroughly with a jet of water. Allow surface to dry. Aqua Stonseal can be applied by brush, spray or roller. Apply second coat when first coat is wet.




①



②



③



④

ADVANTAGES:

- It is safe and easy to use.
- Low odor.
- Maximum stain protection.
- It can be applied on interior and exterior surfaces.
- Water based.
- It gives water repellent effect.

PRECAUTION: Handle with care. Keep out of the reach of children. Wear suitable gloves, eyes/face protection. Use only in well-ventilated area.

SHELF LIFE:	PACKAGING:
Up to 24 months when stored in the original sealed container.	1 Ltr bottle, 5 Ltr can.

**Corporate Office:**

601, Corporate Arena, Off. Aarey Piralal Cross Rd., Goregaon (W), Mumbai - 400104
Tel: 022-46038393 **Email:** info@aquaproofindia.com | **Website:** www.aquaproofindia.com




AQUA TUFFKOT™

(Rough Surface Coating)


Aqua Tuffkot is a solvent base two part UV stabilize system for gloss and matte finish. It comprises of chemical abrasion resistance for any rough surface. The cure coating has excellent acidic household chemical and alkali resistance. The cure film has a very good property of enhanced performance.

WHERE TO USE: Aqua Tuffkot can be used on parking surface or any other rough surfaces like marble, rough granite, sand stone, slate stone, concrete, paver blocks.

HOW TO USE: Clean the surface thoroughly and make it dry. Mix part A with part B in the ratio of 3:1 and stir well before use. Apply first coat with low hand pressure pump, brush, cotton cloth or sponge. Apply second coat after 30 mins. Wait for 24 hours to air cure.




①



②



③



④

ADVANTAGES:

- Nano technology.
- Excellent abrasion resistance.
- Outstanding mechanical resistance.
- Great chemical resistance.
- Good abrasion & weather stability.
- Excellent mar and scuff resistance.
- Suitable for any type of rough surface.

COVERAGE: 1 Ltr per 4/7 m²

SHELF LIFE:	PACKAGING:
Up to 24 months in unopened condition.	1.330 kg.



Corporate Office:

601, Corporate Arena, Off. Aarey Piralal Cross Rd., Goregaon (W), Mumbai - 400104
Tel: 022-46038393 **Email:** info@aquaproofindia.com | **Website:** www.aquaproofindia.com




AQUA GLOSKOT™

(Protective Surface Gloss Coating)


Aqua Gloskot is a water base film coating product which gives an excellent gloss to the applied surface. It provides excellent resistance to the surface against water, oil, chemical and scratch.

WHERE TO USE: Aqua Gloskot can be used on surfaces like rough marble, rough granite, sand stone, slate stone, concrete and paver blocks.

HOW TO USE: Clean the surface thoroughly. Mix part A with part B in the ratio of 3:1 and stir well before use. Apply first coat with low hand pressure pump, brush, cotton cloth or sponge. Apply second coat after 30 mins. Wait for 24 hours to air cure.




①



②



③



④

ADVANTAGES:

- Nano technology.
- Great abrasion resistance.
- Excellent mechanical resistance.
- Super chemical resistance.
- Good stability against abrasion & weather.
- Excellent mar and scuff resistance.

COVERAGE: 1 Ltr per 5/15 m²

SHELF LIFE:	PACKAGING:
Up to 24 months in unopened condition.	1.330 kg.

**Corporate Office:**

601, Corporate Arena, Off. Aarey Pirkamal Cross Rd., Goregaon (W), Mumbai - 400104
Tel: 022-46038393 **Email:** info@aquaproofindia.com | **Website:** www.aquaproofindia.com




AQUA POLISHKLEANER™

(Cleaner For Polish Surface)


Aqua Polishkleaner is a pH neutral detergent which is used to get rid of dirt, wax, marker pen marking and cement residues from the surface. It does not damage the surface's natural property.

WHERE TO USE: Aqua Polishkleaner can be used on surfaces like all natural stone, tile, quartz, terra cotta, etc.


HOW TO USE: Clean the surface thoroughly with water. Make it clean, dry and free from dust and debris. Apply Aqua Polishkleaner on the surface with low hand pressure pump, brush, cotton cloth or sponge. Wait for at least 5-10 minutes leaving it on the surface. Buff it with white pad or scrubber and water. Clean the surface with water to remove the remaining residue.




①



②



③




④

ADVANTAGES:

- Excellent cleaning property.
- Quick to use.
- Deep cleaning effect.
- Outstanding use on tiles.

COVERAGE: 1 Ltr per 10/30 m²

SHELF LIFE:	PACKAGING:
Up to 24 months in unopened condition.	1 & 5 Ltr.

**Corporate Office:**

601, Corporate Arena, Off. Aarey Pirkamal Cross Rd., Goregaon (W), Mumbai - 400104
Tel: 022-46038393 **Email:** info@aquaproofindia.com | **Website:** www.aquaproofindia.com




AQUA WHITENERTM

(Stone Stain Cleaner)

Aqua Whitener is a special blend of acidic based substance. It is a heavy duty detergent that is purposely made to get rid of yellowish effect from white marble like thassos, satvario or any white marble and granite. It does not damage or dull the polished surface.

WHERE TO USE: Aqua Whitener can be used on marble and granite surfaces.


HOW TO USE: Clean the surface thoroughly with water. Make it clean, dry and free from dust and debris. Apply Aqua Whitener on the area that is stained. Cover the stain area with plastic of good quality and use a masking tape to stick the edges of plastic to the surface. Leave it for 24 hours depending on the type of the stain.



①



②



③




④

ADVANTAGES:

- Fast acting formula.
- Powerful whitening effect.
- Strong cleaning power

COVERAGE: 1 Ltr per 10/15 m²

SHELF LIFE:	PACKAGING:
Up to 24 months in unopened condition.	400 ml, 1.0 Ltr.Ltr.

**Corporate Office:**

601, Corporate Arena, Off. Aarey Piramal Cross Rd., Goregaon (W), Mumbai - 400104
Tel: 022-46038393 **Email:** info@aquaproofindia.com | **Website:** www.aquaproofindia.com